

QUESTION PAPER CODE 30/1
EXPECTED ANSWER/VALUE POINTS

SECTION A

1. For $\angle ACB = 90^\circ$ $\frac{1}{2}$
- $\angle PCA = 60^\circ$ $\frac{1}{2}$
2. $2(2k - 1) = k + 9 + 2k + 7$ $\frac{1}{2}$
- $k = 18$ $\frac{1}{2}$
3. $\frac{l}{2.5} = 2$ $\frac{1}{2}$
- $l = 5 \text{ m}$ $\frac{1}{2}$
4. No. of red cards and queens: 28 $\frac{1}{2}$
- Required Probability: $\frac{24}{52}$ or $\frac{6}{13}$ $\frac{1}{2}$

SECTION B

5. $2(-5)^2 + p(-5) - 15 = 0 \Rightarrow p = 7$ 1
- $7x^2 + 7x + k = 0$ gives $49 - 28k = 0 \Rightarrow k = \frac{7}{4}$ 1
6.  P divides AB in 1 : 2 $\frac{1}{2}$
- \therefore Coords of P are: $(-1, 0)$ 1
- Q is mid-point of PB
- \therefore Coords of Q are: $(-4, 2)$ $\frac{1}{2}$
7. $AP = AS, BP = BQ, CR = CQ$ and $DR = DS$ 1
- $AP + BP + CR + DR = AS + BQ + CQ + DS \Rightarrow AB + CD = AD + BC$ 1

8. Let the point be A(3, 0), B(6, 4), C(-1, 3)

$$AB = \sqrt{9+16} = 5, BC = \sqrt{49+1} = 5\sqrt{2}, AC = \sqrt{16+9} = 5$$
 $1\frac{1}{2}$

$AB = AC$ and $AB^2 + AC^2 = BC^2$: ΔABC isosceles, right Δ

 $\frac{1}{2}$

9. $a + 3d = 0 \Rightarrow a = -3d$
- $\frac{1}{2}$

$$a_{25} = a + 24d = 21d$$
 $\frac{1}{2}$

$$3a_{11} = 3(a + 10d) = 3(7d) = 21d$$
1

10. Let $\angle TOP = \theta \therefore \cos \theta = \frac{OT}{OP} = \frac{r}{2r} = \frac{1}{2} \therefore \theta = 60^\circ$ Hence $\angle TOS = 120^\circ$
- 1

In ΔOTS , $OT = OS \Rightarrow \angle OTS = \angle OST = 30^\circ$

1

SECTION C

11. $BC^2 = AB^2 - AC^2 = 169 - 144 = 25 \therefore BC = 5\text{cm}$
- 1

Area of the shaded region = Area of semicircle – area of rt. ΔABC

$$= \frac{1}{2}(3.14)\left(\frac{13}{2}\right)^2 - \frac{1}{2} \cdot 12 \times 5$$
1

$$= 66.33 - 30 = 36.33 \text{ cm}^2$$
1

12. Area of canvas needed = $2 \times \frac{22}{7} \times (1.5) \times 2.1 + \frac{22}{7} \times 1.5 \times 2.8$
- $1\frac{1}{2}$

$$= \frac{22}{7}[6.3 + 4.2] = \frac{22}{7} \times 10.5 = 33 \text{ m}^2$$
1

$$\text{cost} = 33 \times 500 = ₹ 16500$$
 $\frac{1}{2}$

13. $PA = PB$ or $(PA)^2 = (PB)^2$
- 1

$$(a+b-x)^2 + (b-a-y)^2 = (a-b-x)^2 + (a+b-y)^2$$
1

$$(a+b)^2 + x^2 - 2ax - 2bx + (b-a)^2 + y^2 - 2by + 2ay$$

$$= (a-b)^2 + x^2 - 2ax + 2bx + (a+b)^2 + y^2 - 2ay - 2by$$

$$\Rightarrow 4ay = 4bx \text{ or } bx = ay$$
1

14. Shaded area = $\pi(14^2 - 7^2) \times \frac{320}{360}$

2

$$= \frac{22}{7} \times 147 \times \frac{8}{9}$$

 $\frac{1}{2}$

$$= \frac{1232}{3} = 410.67 \text{ cm}^2$$

 $\frac{1}{2}$

15. $\frac{S_n}{S'_n} = \frac{n/2(2a + (n-1)d)}{n/2(2a' + (n-1)d')} = \frac{7n+1}{4n+27}$

1

$$= \frac{a + \frac{n-1}{2}d}{a' + \frac{n-1}{2}d'} = \frac{7n+1}{An+27}$$

... (i)

 $\frac{1}{2}$

Since $\frac{t_m}{t'_m} = \frac{a + (m-1)d}{a' + (m-1)d'}$, So replacing $\frac{n-1}{2}$ by $m-1$ i.e. $n = 2m-1$ in (i)

1

$$\frac{t_m}{t'_m} = \frac{a + (m-1)d}{a' + (m-1)d'} = \frac{7(2m-1)+1}{4(2m-1)+27} = \frac{14m-6}{8m+23}$$

 $\frac{1}{2}$

16. Here $3(x-3+x-1) = 2(x-1)(x-2)(x-3)$

 $1\frac{1}{2}$

$$\Rightarrow 3(2x-4) = 2(x-1)(x-2)(x-3)$$

 $\frac{1}{2}$

$$\Rightarrow 3 = (x-1)(x-3) \text{ i.e. } x^2 - 4x = 0$$

$$\therefore x = 0, x = 4$$

1

17. Volume of water in conical vessel = $\frac{1}{3} \times \frac{22}{7} \times 25 \times 24 \text{ cm}^2$

1

$$\therefore \frac{1}{3} \times \frac{22}{7} \times 25 \times 24 = \frac{22}{7} \times 10 \times 10 \times h$$

 $1\frac{1}{2}$

$$\Rightarrow h = 2 \text{ cm}$$

 $\frac{1}{2}$


18. Volume of sphere = $\frac{4}{3}\pi(6)^3 \cdot \text{cm}^3$

1

$$\therefore \pi r^2 \frac{32}{9} = \frac{4}{3} \pi (6)^3$$
 $\frac{1}{2}$

$$\Rightarrow r = 9 \text{ cm.}$$
 $\frac{1}{2}$

19.



Correct Figure

$$\text{In } \Delta ABP, \frac{y}{10} = \cot 30^\circ = \sqrt{3}$$

$$\therefore y = 10\sqrt{3} \text{ m}$$
1

$$\text{In } \Delta ACQ, \frac{x}{y} = \tan 60^\circ = \sqrt{3}$$

$$x = \sqrt{3} (10\sqrt{3}) = 30 \text{ m}$$
1

$$\therefore \text{Height of hill} = 30 + 10 = 40 \text{ m}$$
 $\frac{1}{2}$

20. Set of possible outcomes is

$$\{\text{HHH, HHT, HTH, THH, HTT, THT, TTH, TTT}\}$$

$$(i) P(\text{exactly 2 heads}) = 3/8$$
1

$$(ii) P(\text{at least 2 heads}) = 4/8 \text{ or } 1/2$$
1

$$(iii) P(\text{at least 2 tails}) = 4/8 \text{ or } 1/2$$
1

SECTION D

$$21. \text{ Slant height of conical part} = \sqrt{(2.8)^2 + (2.1)^2} = 3.5 \text{ m}$$
 $\frac{1}{2}$

$$\begin{aligned} \text{Area of canvas/tent} &= 2 \times \frac{22}{7} \times 2.8 \times 3.5 + \frac{22}{7} \times 2.8 \times 3.5 \text{ m}^2 \\ &= 92.4 \text{ m}^2 \end{aligned}$$
1

$$\text{Cost of 1500 tents} = 1500 \times 92.4 \times 120 = ₹ 16632000$$
1

$$\begin{aligned} \text{Share of each school} &= \frac{1}{50} \times 1663200 \\ &= ₹ 332640 /- \end{aligned}$$
 $\frac{1}{2}$

“Helping the needy”

1

22. Correct Given, To prove, Construction and Figure

$$4 \times \frac{1}{2} = 2$$

Correct proof 2

23. Correct construction 4

24. AC is tangent to circle with centre O,

Thus $\angle ACO = 90^\circ$ 1

$\therefore \Delta AO'D \sim \Delta AOC$ 1

$$\Rightarrow \frac{AO'}{AO} = \frac{DO'}{CO} \quad 1$$

$$\therefore \frac{DO'}{CO} = \frac{r}{3r} = \frac{1}{3} \quad 1$$


25. $(x + 4)(x + 2 + 2x + 2) = 4(x + 1)(x + 2)$ 1

$$(x + 4)(3x + 4) = 4(x^2 + 3x + 2)$$

$$\Rightarrow x^2 - 4x - 8 = 0 \quad 1\frac{1}{2}$$

$$\Rightarrow x = \frac{4 \pm \sqrt{16 + 32}}{2} = 2 \pm 2\sqrt{3} \quad 1\frac{1}{2}$$

26. Correct Figure 1



$$\text{In } \Delta YZQ, \frac{a}{YZ} = \tan 45^\circ = 1$$

$$\Rightarrow YZ = a \text{ i.e. } a = b \quad 1$$

$$\text{In } \Delta QPX, \frac{a+40}{b} = \frac{a+40}{a} = \tan 60^\circ = \sqrt{3}$$

$$\therefore (\sqrt{3} - 1)a = 40 \text{ or } a = \frac{40}{\sqrt{3} - 1} = 20(\sqrt{3} + 1)$$

$$= 20(2.73) = 54.60 \text{ m} \quad 1$$

$$\therefore PX = 54.6 \text{ m} \quad 1$$

$$PQ = 54.6 + 40 = 94.6 \text{ m}$$

27. Sum of numbers preceding X

$$= \frac{(X-1)X}{2} \quad 1\frac{1}{2}$$

$$\begin{aligned}\text{Sum of numbers following } X &= \frac{(49)(50)}{2} - \frac{(X-1)}{2} - X \\ &= \frac{2450 - X^2 - X}{2} \quad 1\frac{1}{2}\end{aligned}$$

$$\therefore \frac{(X-1)X}{2} = \frac{2450 - X^2 - X}{2}$$

$$\Rightarrow 2X^2 = 2450$$

$$X^2 = 1225$$

$$X = 35 \quad 1$$

[Since there is a typographic error in the question, which makes it unsolvable, hence 4 marks be given to each student]

28. Coords of D are: $\left(\frac{1(1)+2(4)}{3}, \frac{1(5)+2(6)}{3}\right)$ i.e. $\left(3, \frac{17}{3}\right)$ $\frac{1}{2}$

Coords of E are: $\left(\frac{1(7)+2(4)}{3}, \frac{1(2)+2(6)}{3}\right)$ i.e. $\left(5, \frac{14}{3}\right)$ $\frac{1}{2}$

ar. $\Delta ADE = \frac{1}{2} \left[4(1) + 3\left(\frac{14}{3} - 6\right) + 5\left(6 - \frac{17}{3}\right) \right] = \frac{5}{6}$ 1

ar. $\Delta ABC = \frac{1}{2} [4(3) + 1(-4) + 7(1)] = \frac{15}{2}$ 1

ar. ΔADE : ar. $\Delta ABC = \frac{5}{6} : \frac{15}{2}$ or 1:9 1

29. x can be any one of 1, 2, 3 or 4.

y can be any one of 1, 4, 9 or 16

Total number of cases of $xy = 16$ $1\frac{1}{2}$

Number of cases, where product is less than 16 = 8 $1\frac{1}{2}$

{1, 4, 9, 2, 8, 3, 12, 4}

$$\therefore \text{Required Probability} = \frac{8}{16} \text{ or } \frac{1}{2}$$

1

30. Length of arc $\widehat{AP} = 2\pi r \frac{\theta}{360}$ or $\frac{\pi r \theta}{180}$

... (i)

1

$$\frac{AB}{r} = \tan \theta \Rightarrow AB = r \tan \theta$$

... (ii)

 $\frac{1}{2}$

$$\frac{OB}{r} = \sec \theta \Rightarrow OB = r \sec \theta$$

 $\frac{1}{2}$

$$PB = OB - r = r \sec \theta - r$$

... (iii)

1

$$\text{Perimeter} = AB + PB + \widehat{AP}$$

$$= r \tan \theta + r \sec \theta - r + \frac{\pi r \theta}{180}$$

1

$$\text{or } r \left[\tan \theta + \sec \theta - 1 + \frac{\pi \theta}{180} \right]$$

31. let x km/h be the speed of the stream

$$\therefore \frac{32}{24-x} - \frac{32}{24+x} = 1$$

2

$$\Rightarrow 32(2x) = (24-x)(24+x)$$

$$x^2 + 64x - 576 = 0$$

1

$$(x+72)(x-8) = 0 \Rightarrow x = 8$$

$$\therefore \text{Speed of stream} = 8 \text{ km/h.}$$

1